a a a A A A a a a A A A a a A

Because the requirements for each typing application vary—no one type style can possibly meet the needs of every job.

This is why IBM offers you a wide selection of typing elements.

By selecting the type best suited to each application, you are assured of quality results that make paperwork look better, read better, get quicker results.

The following are samples of the available IBM type styles, grouped according to suggested applications. However, many are suitable for other uses as well.

The word Pitch refers to the number of characters in one horizontal inch. A 10-pitch typewriter prints 10 characters per inch, and a 12-pitch typewriter prints 12 characters per inch. A typing element of one pitch may be used with a typewriter of another pitch—this will only alter the space between each character.

To select type styles best suited to your requirements, consult the ratings below.

APPLICATION RATING*

Type Style	Maximum Carbon Copies	Statistical Typing	Offset Masters	Spirit Masters	Stencils	Diazo
Scribe	A	B	B	A	A	A
Letter Gothic	A	A	A	B	B	B
Dual Gothic	B	A	B	B	A	B
Elite 72	A	B	A	A	A	A
Prestige Elite 72	A	B	A	A	A	A
Courier 72	B	B	A	B	B	B
Pica 72	A	B	A	A	A	A
Adjutant	B	B	A	B	B	A
Advocate	A	A	B	A	A	B
Delegate	B	B	A	B	C	A
Light Italic	A	B	A	A	A	A
Manifold 72	A	A	B	B	B	A
Script	C	B	B	C	C	B
Artisan 12 (72)	B	A	B	B	B	B
Orator	C	C	C	C	C	C
Courier 12	B	B	A	B	B	B
Courier 12 Italic	B	B	A	B	B	B

* RATINGS: A-Good, B-Fair, C-Marginal.

ASSUMPTIONS: 1. Typewriters are equipped with Impression Selector and Automatic Impression Equalizer. 2. Proper selection of ribbon, carbon paper, stencils, etc.

NOTE: Symbol 10, Symbol 12, OCR 1403, OCR 12L2/12F2, OCR USASI, OCR Communications and OCR 915, are special application type styles.

Courier 72 Code 015   10 Pitch

```
IBM COURIER 72 Type is a square-serif design
in the Pica family of type styles.  The open
spaced characters make it highly legible.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Pica 72 Code 008   10 Pitch

```
IBM PICA 72 Type is similar to the Pica type
styles offered with the IBM Model D Typewriter.
It is well suited for a variety of typing jobs.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Advocate Code 050   10 Pitch

```
IBM ADVOCATE Type is a square-serif design in
the Pica family of type styles.  It is ideal
for routine correspondence and reports.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Delegate Code 070   10 Pitch

```
IBM DELEGATE Type is a weighted type conveying
the feeling of printed material.  It is recom-
mended for text copy and similar typing jobs.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"':;/?,.
```

Courier 12 Code 067   12 Pitch

```
IBM Courier 12 type is a square-serif design in
the Elite family of type styles and is similar to
the Courier 72 element.
ABCDEFGHIJKLMNOPQRSTUVWXYZ  []@#$%¢&*()_+  1234567890
abcdefghijklnmopqrstuvwxyz  -=°!:;"',,..?/
```

Courier 12 Italic Code 085   12 Pitch

```
COURIER 12 ITALIC Type complements the Courier 12 type
style.  It may be used alone or in combination with other
12 pitch type styles to add emphasis.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz   -_=+!°'";:/?..,,
```

Artísan Code 053   12 Pitch

```
IBM ARTISAN #12 (72) Type is similar to the Artisan type
styles offered with the IBM Model D Typewriter.  It is
well suited for a wide range of typing applications.
ABCDEFGHIJKLMNOPQRSTUVWXYZ  []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz  -_=+!°;:'",,../?
```

Scribe Code 001   12 Pitch

```
IBM SCRIBE Type is a modern square-serif design in the
Elite family of type styles.  It is ideally suited for
the preparation of routine correspondence and reports.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Letter Gothic Code 005   12 Pitch

```
IBM LETTER GOTHIC Type is one of the Artisan family of
type styles.  It is well suited to a variety of typing
jobs, especially good for correspondence and reports.
ABCDEFGHIJKLMNOPQRSTUVWXYZ  []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz  -_=+!°;:'",,../?
```

Elite 72 Code 007   12 Pitch

```
IBM ELITE 72 Type is similar to the Elite type styles
offered with the IBM Model D Typewriter.  It is well
suited for a wide range of typing applications.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Prestige Elite 72 Code 012   12 Pitch

```
IBM PRESTIGE ELITE 72 Type is a weighted type similar
to the Prestige Elite styles offered with the IBM Model
D Typewriter.  It meets a range of typing applications.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Adjutant Code 030   12 Pitch

```
IBM ADJUTANT Type is a weighted type that conveys the
feeling of printed material.  It is recommended for
the preparation of text copy and similar applications.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.
```

Manifold 72 Code 006 (Pica Numerals)   10 Pitch

SIMILAR TO IBM MANIFOLD 72 (CODE 10), THIS
TYPE STYLE OFFERS PICA NUMERALS WHICH ARE
REQUIRED FOR MAXIMUM CARBON LEGIBILITY.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   ±@#$%¢&*()
1234567890   -_=+°!"'/?:;,.

Manifold 72 Code 010   10 Pitch

IBM MANIFOLD 72 TYPE IS A SANS-SERIF TYPE STYLE
DESIGNED FOR BILLING AND FORMS PREPARATION. IT
PROVIDES A MAXIMUM NUMBER OF CLEAR CARBON COPIES.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   ±@#$%¢&*()
1234567890   -_=+!°"'/?:;,.

Manifold 72 Code 019   10 Pitch

SIMILAR TO IBM MANIFOLD 72 (CODE 10), THIS TYPE
STYLE HAS A LINE THROUGH ZERO (Ø) ELIMINATING
CONFUSION BETWEEN LETTER AND NUMBER GROUPINGS.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   ±@#$%¢&*()
1234567890   -_=+!°"'/?:;,.

Pica 72 Code 017 (Legal)   10 Pitch

Similar to IBM PICA 72 (Code 08), this type
style offers paragraph (¶) and section (§)
characters often needed for legal documents.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   []¶#$%§&*() 1234567890
abcdefghijklmnopqrstuvwxyz   -_=+!°"'/?:;,.

Orator Code 059*   10 Pitch

IBM ORATOR TYPE IS A LARGE, SANS-SERIF TYPE
STYLE RECOMMENDED ESPECIALLY FOR SPEECHES AND
OTHER APPLICATIONS REQUIRING UTMOST LEGIBILITY.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   ±@#$%¢&*()1234567890
ABCDEFGHIJKLMNOPQRSTUVWXYZ   -_=+!°;:'",,.,/?

1403 OCR Code 022   10 Pitch

IBM 1403 OCR TYPE PROVIDES MACHINE-
READABLE, OPTICAL SCANNING COPY AS SIMPLY
AS SNAPPING ON A 1403 ELEMENT.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   *@#$%¢&½()
1234567890   -_-=□‡"'/+;:,.

*Recommended for original copy typing only. This type
face is especially applicable for speeches and other
uses requiring utmost legibility.

12L2/12F2 Code 023   10 Pitch

THIS IS A SAMPLE OF THE IBM 12L2/12F2 OPTICAL
SCANNING TYPE. MACHINE READABLE COPY CAN BE
PREPARED AS EASILY AS SNAPPING ON THIS ELEMENT.
Γ   Δ �ऴⱶ⌐24567—3█ ⅂ 1   *@#()⁋&—0⌸
ABCDEFGHIJKLMNOPQRSTUVWXYZ ' "=+Δⴲ ;⌐/?⊦∶,.
1234567890

USASI OCR Code 056   10 Pitch

THIS IS A SAMPLE OF IBM USASI OPTICAL CHARACTER
RECOGNITION TYPE. IT MEETS SPECIFICATIONS OF
THE UNITED STATES OF AMERICA STANDARDS INSTITUTE.
▮▮▮▮▮▮▮⌐24567▮3/▮—▮⌊⌋▮▮▮⌋▮ Ɥ⌐⌐⌐%⌐&*0.
ABCDEFGHIJKLMNOPQRSTUVWXYZ ——+=⌐█:;⌐'8⌐9.?/
1234567890

Communications OCR Code 091   10 Pitch

THE COMMUNICATIONS ELEMENT MATCHES THE USASI TYPE
STYLE. SOME SPECIAL CHARACTERS ARE REARRANGED
AND THE 10-KEY ARRANGEMENT OF NUMERALS ELIMINATED.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   Ɥ⌐⌐%⌐&*⌊⌋
1234567890   ——=+⌸⌐'⌐;:/?⌐⌐..

915 OCR Code 065   10 Pitch

915 OPTICAL CHARACTER RECOGNITION TYPE MAY
BE USED FOR APPLICATIONS INVOLVING THE
CONTROL DATA CORPORATION MODEL 915 SCANNER.
 ⌐⌐⌐⌐⌐⌐⌐24567⌐3⌐⌐—⌐⌊⌋ ⌐⌐⌋⌐   ⌐⌐*⌐%⌐&⌐0Δ
ABCDEFGHIJKLMNOPQRSTUVWXYZ   ——+=↑↓:;⌐⌐'8⌐9.?/
1234567890

Symbol 10 Code 061   10 Pitch

The Following Symbols are Available on the IBM Symbol 10 Typing Element:
1 2 3 4 5 6 7 8 9 0   √|{}±⌈⌈⌉⌋⌊   γδεθτυξιορπ   ζχψ×βνμ‾~
Γ∆←θ→ΤΞ↑↓ℓ∏̄⌐   ασφ⌊λη⌋κω̈·⁒   ∇ΣΦ<ΛΠ>§Ω^·   ≈Ξψα∞∿∂‾†∫

Elite 72 Code 069 (Library)   12 Pitch

The Library element is designed to facilitate
typing on library cards and bibliographical
material. The type style is an exact duplicate
of the Elite 72 element.
ABCDEFGHIJKLMNOPQRSTUVWXYZ   °˘"/⌊⌋-&'()_^ 1234567890
abcdefghijklmnopqrstuvwxyz   -˛¨:;˘`,,··

NOTE: Because of inherent differences between printed and typewritten impressions,
these type styles are not representative of typewritten material and should be used
as a guide to type design only.

Elite 72 Code 074 (Tri-Lingual)   12 Pitch

The Tri-Lingual element is designed to type in
Spanish, French and English. The type style is
an exact duplicate of the Elite 72 element.
ABCDEFGHIJKLMNOPQRSTUVWXYZ ¡¿"£$%*+?()_= 1234567890
abcdefghijklmnopqrstuvwxyz -ç`´Ññ¨^',./.:;

Symbol 12 Code 004   12 Pitch

The Following Symbols are Available on the IBM Symbol 12 Typing Element:
1234567890   √|{}±⌈ʃʃ⌋ʃ   γδεθτυξιορπ_=   ζχψ×βνμ´˜ι
ΓΔ←Θ→ΤΞ↑↓ℓΠ   ασφ⌊λη⌋κω¨∶   ∇ΣΦ<Λ¶>§Ω^∙ʃ ∠ ≃≡Ψα∞∽∂`†ʃ

Dual Gothic Code 020   12 Pitch

IBM DUAL GOTHIC 72 Type is a sans-serif type similar
to Dual Basic Gothic type style offered with the IBM
Model D Typewriter. Its crisp appearance adds to the
legibility of all copy.
ABCDEFGHIJKLMNOPQRSTUVWXYZ []@#$%¢&*() 1234567890
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.

Light Italic Code 014   12 Pitch

IBM LIGHT ITALIC Type is a "fine-line" style that may
be used alone or in combination with Pica or Elite type
styles to add impact and emphasis to many typing jobs.
ABCDEFGHIJKLMNOPQRSTUVWXYZ ±@#$%¢&() 1234567890*
abcdefghijklmnopqrstuvwxyz -_=+°!"'/?:;,.

French-English Code 057   12 Pitch

IBM FRENCH-ENGLISH Type is designed for use on domestic
IBM "Selectric" Typewriters for French applications.
The type style is identical to Prestige Elite 72.
ABCDEFGHIJKLMNOPQRSTUVWXYZ "§!$%£&?()^ 1234567890
abcdefghijklmnopqrstuvwxyz -_àçéè;:'",,../ù

Script Code 090   12 Pitch

IBM SCRIPT Type is a special-purpose type style that
simulates handwriting. It provides a pleasing change
of pace and emphasis for a wide range of typing jobs.
ABCDEFGHIJKLMNOPQRSTUVWXYZ ±@#$%¢&() 1234567890*
abcdefghijklmnopqrstuvwxyz -_=+!°"'/?:;,.